

FAILOVER SYSTEM AND METHOD FOR CLUSTER ENVIRONMENT

Inventors:

Victor Mashayekhi
2015 Wood Glen Drive
Round Rock, TX 78681

Jenwei Hsieh
10806 Scotland Well Dr.
Austin, TX 78750

Reza Rooholamini
1937 Augusta Court
Round Rock, TX 78681

Assignee:

DELL PRODUCTS L.P.
One Dell Way
Round Rock, Texas 78682-2244

BAKER BOTTS, L.L.P.
One Shell Plaza
910 Louisiana
Houston, Texas 77002-4995

Attorney's Docket: 016295.0672

CERTIFICATE OF MAILING VIA "EXPRESS MAIL"

EXPRESS MAIL LABEL: EL609946565US

DATE OF DEPOSIT: August 9, 2001

I HEREBY CERTIFY THAT THIS PAPER OR FEE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE "EXPRESS MAIL POST OFFICE TO ADDRESSEE" SERVICE UNDER 37 C.F.R. 1.10 ON THE DATE INDICATED ABOVE AND IS ADDRESSED TO:

THE HONORABLE COMMISSIONER OF PATENTS
BOX PATENT APPLICATION
WASHINGTON, D.C. 20231.


SIGNATURE

FAILOVER SYSTEM AND METHOD FOR CLUSTER ENVIRONMENT

1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287
2288
2289
2290
2291
2292
2293
2294
2295
2296
2297
2298
2299
2300
2301
2302
2303
2304
2305
2306
2307
2308
2309
2310
2311
2312
2313
2314
2315
2316
2317
2318
2319
2320
2321
2322
2323
2324
2325
2326
2327
2328
2329
2330
2331
2332
2333
2334
2335
2336
2337
2338
2339
2340
2341
2342
2343
2344
2345
2346
2347
2348
2349
2350
2351
2352
2353
2354
2355
2356
2357
2358
2359
2360
2361
2362
2363
2364
2365
2366
2367
2368
2369
2370
2371
2372
2373
2374
2375
2376
2377
2378
2379
2380
2381
2382
2383
2384
2385
2386
2387
2388
2389
2390
2391
2392
2393
2394
2395
2396
2397
2398
2399
2400
2401
2402
2403
2404
2405
2406
2407
2408
2409
2410
2411
2412
2413
2414
2415
2416
2417
2418
2419
2420
2421
2422
2423
2424
2425
2426
2427
2428
2429
2430
2431
2432
2433
2434
2435
2436
2437
2438
2439
2440
2441
2442
2443
2444
2445
2446
2447
2448
2449
2450
2451
2452
2453
2454
2455
2456
2457
2458
2459
2460
2461
2462
2463
2464
2465
2466
2467
2468
2469
2470
2471
2472
2473
2474
2475
2476
2477
2478
2479
2480
2481
2482
2483
2484
2485
2486
2487
2488
2489
2490
2491
2492
2493
2494
2495
2496
2497
2498
2499
2500
2501
2502
2503
2504
2505
2506
2507
2508
2509
2510
2511
2512
2513
2514
2515
2516
2517
2518
2519
2520
2521
2522
2523
2524
2525
2526
2527
2528
2529
2530
2531
2532
2533
2534
2535
2536
2537
2538
2539
2540
2541
2542
2543
2544
2545
2546
2547
2548
2549
2550
2551
2552
2553
2554
2555
2556
2557
2558
2559
2560
2561
2562
2563
2564
2565
2566
2567
2568
2569
2570
2571
2572
2573
2574
2575
2576
2577
2578
2579
2580
2581
2582
2583
2584
2585
2586
2587
2588
2589
2590
2591
2592
2593
2594
2595
2596
2597
2598
2599
2600
2601
2602
2603
2604
2605
2606
2607
2608
2609
2610
2611
2612
2613
2614
2615
2616
2617
2618
2619
2620
2621
2622
2623
2624
2625
2626
2627
2628
2629
2630
2631
2632
2633
2634
2635
2636
2637
2638
2639
2640
2641
2642
2643
2644
2645
2646
2647
2648
2649
2650
2651
2652
2653
2654
2655
2656
2657
2658
2659
2660
2661
2662
2663
2664
2665
2666
2667
2668
2669
2670
2671
2672
2673
2674
2675
2676
2677
2678
2679
2680
2681
2682
2683
2684
2685
2686
2687
2688
2689
2690
2691
2692
2693
2694
2695
2696
2697
2698
2699
2700
2701
2702
2703
2704
2705
2706
2707
2708
2709
2710
2711
2712
2713
2714
2715
2716
2717
2718
2719
2720
2721
2722
2723
2724
2725
2726
2727
2728
2729
2730
2731
2732
2733
2734
2735
2736
2737
2738
2739
2740
2741
2742
2743
2744
2745
2746
2747
2748
2749
2750
2751
2752
2753
2754
2755
2756
2757
2758
2759
2760
2761
2762
2763
2764
2765
2766
2767
2768
2769
2770
2771
2772
2773
2774
2775
2776
2777
2778
2779
2780
2781
2782
2783
2784
2785
2786
2787
2788
2789
2790
2791
2792
2793
2794
2795
2796
2797
2798
2799
2800
2801
2802
2803
2804
2805
2806
2807
2808
2809
2810
2811
2812
2813
2814
2815
2816
2817
2818
2819
2820
2821
2822
2823
2824
2825
2826
2827
2828
2829
2830
2831
2832
2833
2834
2835
2836
2837
2838
2839
2840
2841
2842
2843
2844
2845
2846
2847
2848
2849
2850
2851
2852
2853
2854
2855
2856
2857
2858
2859
2860
2861
2862
2863
2864
2865
2866
2867
2868
2869
2870
2871
2872
2873
2874
2875
2876
2877
2878
2879
2880
2881
2882
2883
2884
2885
2886
2887
2888
2889
2890
2891
2892
2893
2894
2895
2896
2897
2898
2899
2900
2901
2902
2903
2904
2905
2906
2907
2908
2909
2910
2911
2912
2913
2914
2915
2916
2917
2918
2919
2920
2921
2922
2923
2924
2925
2926
2927
2928
2929
2930
2931
2932
2933
2934
2935
2936
2937
2938
2939
2940
2941
2942
2943
2944
2945
2946
2947
2948
2949
2950
2951
2952
2953
2954
2955
2956
2957
2958
2959
2960
2961
2962
2963
2964
2965
2966
2967
2968
2969
2970
2971
2972
2973
2974
2975
2976
2977
2978
2979
2980
2981
2982
2983
2984
2985
2986
2987
2988
2989
2990
2991
2992
2993
2994
2995
2996
2997
2998
2999
3000
3001
3002
3003
3004
3005
3006
3007
3008
3009
3010
3011
3012
3013
3014
3015
3016
3017
3018
3019
3020
3021
3022
3023
3024
3025
3026
3027
3028
3029
3030
303

TECHNICAL FIELD

[0001] This invention relates in general to the field of computers, and more particularly, to a system and method for implementing failover policies in a cluster environment.

1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287
2288
2289
2290
2291
2292
2293
2294
2295
2296
2297
2298
2299
2300
2301
2302
2303
2304
2305
2306
2307
2308
2309
2310
2311
2312
2313
2314
2315
2316
2317
2318
2319
2320
2321
2322
2323
2324
2325
2326
2327
2328
2329
2330
2331
2332
2333
2334
2335
2336
2337
2338
2339
2340
2341
2342
2343
2344
2345
2346
2347
2348
2349
2350
2351
2352
2353
2354
2355
2356
2357
2358
2359
2360
2361
2362
2363
2364
2365
2366
2367
2368
2369
2370
2371
2372
2373
2374
2375
2376
2377
2378
2379
2380
2381
2382
2383
2384
2385
2386
2387
2388
2389
2390
2391
2392
2393
2394
2395
2396
2397
2398
2399
2400
2401
2402
2403
2404
2405
2406
2407
2408
2409
2410
2411
2412
2413
2414
2415
2416
2417
2418
2419
2420
2421
2422
2423
2424
2425
2426
2427
2428
2429
2430
2431
2432
2433
2434
2435
2436
2437
2438
2439
2440
2441
2442
2443
2444
2445
2446
2447
2448
2449
2450
2451
2452
2453
2454
2455
2456
2457
2458
2459
2460
2461
2462
2463
2464
2465
2466
2467
2468
2469
2470
2471
2472
2473
2474
2475
2476
2477
2478
2479
2480
2481
2482
2483
2484
2485
2486
2487
2488
2489
2490
2491
2492
2493
2494
2495
2496
2497
2498
2499
2500
2501
2502
2503
2504
2505
2506
2507
2508
2509
2510
2511
2512
2513
2514
2515
2516
2517
2518
2519
2520
2521
2522
2523
2524
2525
2526
2527
2528
2529
2530
2531
2532
2533
2534
2535
2536
2537
2538
2539
2540
2541
2542
2543
2544
2545
2546
2547
2548
2549
2550
2551
2552
2553
2554
2555
2556
2557
2558
2559
2560
2561
2562
2563
2564
2565
2566
2567
2568
2569
2570
2571
2572
2573
2574
2575
2576
2577
2578
2579
2580
2581
2582
2583
2584
2585
2586
2587
2588
2589
2590
2591
2592
2593
2594
2595
2596
2597
2598
2599
2600
2601
2602
2603
2604
2605
2606
2607
2608
2609
2610
2611
2612
2613
2614
2615
2616
2617
2618
2619
2620
2621
2622
2623
2624
2625
2626
2627
2628
2629
2630
2631
2632
2633
2634
2635
2636
2637
2638
2639
2640
2641
2642
2643
2644
2645
2646
2647
2648
2649
2650
2651
2652
2653
2654
2655
2656
2657
2658
2659
2660
2661
2662
2663
2664
2665
2666
2667
2668
2669
2670
2671
2672
2673
2674
2675
2676
2677
2678
2679
2680
2681
2682
2683
2684
2685
2686
2687
2688
2689
2690
2691
2692
2693
2694
2695
2696
2697
2698
2699
2700
2701
2702
2703
2704
2705
2706
2707
2708
2709
2710
2711
2712
2713
2714
2715
2716
2717
2718
2719
2720
2721
2722
2723
2724
2725
2726
2727
2728
2729
2730
2731
2732
2733
2734
2735
2736
2737
2738
2739
2740
2741
2742
2743
2744
2745
2746
2747
2748
2749
2750
2751
2752
2753
2754
2755
2756
2757
2758
2759
2760
2761
2762
2763
2764
2765
2766
2767
2768
2769
2770
2771
2772
2773
2774
2775
2776
2777
2778
2779
2780
2781
2782
2783
2784
2785
2786
2787
2788
2789
2790
2791
2792
2793
2794
2795
2796
2797
2798
2799
2800
2801
2802
2803
2804
2805
2806
2807
2808
2809
2810
2811
2812
2813
2814
2815
2816
2817
2818
2819
2820
2821
2822
2823
2824
2825
2826
2827
2828
2829
2830
2831
2832
2833
2834
2835
2836
2837
2838
2839
2840
2841
2842
2843
2844
2845
2846
2847
2848
2849
2850
2851
2852
2853
2854
2855
2856
2857
2858
2859
2860
2861
2862
2863
2864
2865
2866
2867
2868
2869
2870
2871
2872
2873
2874
2875
2876
2877
2878
2879
2880
2881
2882
2883
2884
2885
2886
2887
2888
2889
2890
2891
2892
2893
2894
2895
2896
2897
2898
2899
2900
2901
2902
2903
2904
2905
2906
2907
2908
2909
2910
2911
2912
2913
2914
2915
2916
2917
2918
2919
2920
2921
2922
2923
2924
2925
2926
2927
2928
2929
2930
2931
2932
2933
2934
2935
2936
2937
2938
2939
2940
2941
2942
2943
2944
2945
2946
2947
2948
2949
2950
2951
2952
2953
2954
2955
2956
2957
2958
2959
2960
2961
2962
2963
2964
2965
2966
2967
2968
2969
2970
2971
2972
2973
2974
2975
2976
2977
2978
2979
2980
2981
2982
2983
2984
2985
2986
2987
2988
2989
2990
2991
2992
2993
2994
2995
2996
2997
2998
2999
3000
3001
3002
3003
3004
3005
3006
3007
3008
3009
3010
3011
3012
3013
3014
3015
3016
3017
3018
3019
3020

BACKGROUND


[0002] Clustering is a well known concept that refers to a group of individual computer systems, or nodes, operating together as if it were a single system or single computing resource. One characteristic of a cluster is its scalability, or the ability to add (or delete) nodes from the cluster to meet the user's performance requirements. Another characteristic of a cluster is high availability (HA). High availability refers to the ability of a server to remain operational, or available to a user, even when one or more nodes in the cluster fail. High availability can be improved in a cluster by implementing "failover" procedures that enable the operations performed on a node to failover to, or be assumed by, another node in the cluster in the event that that node fails. Failover procedures must include a policy for selecting the node(s) to assume the tasks or applications running on the failed node. Some failover policies improve the high availability of a cluster system more than others. Thus, the implementation of a failover policy can be crucial when considering the overall high availability of a cluster.

[0003] Establishing a failover policy is a simple task when the cluster consists of only two nodes. When one node fails, the only possible solution is to failover all applications running on the failed node to the surviving node. When there are more than two nodes in the cluster, and multiple applications running on each node, however, the failover possibilities become numerous. For example, theoretically all applications running on the failed node can failover to any one of the remaining nodes, and similarly any of the several applications running on the failed node can failover to any one of the surviving nodes. It is apparent that as the number of nodes and number of applications running on each node increase, the failover possibilities increase dramatically. Establishing concrete failover policies is critical for any cluster environment, as the high availability of the cluster will depend on it.

[0004] Many cluster systems operating on Windows NT based servers utilize Microsoft Cluster Services (MSCS) software to provide high availability for the cluster. In the Advanced Server product, MSCS provides fail-over capability for a two-node system. All applications running on the first node failover to the second node, and vice versa. This is considered to be the trivial case. In the DataCenter


Server product, MSCS provides fail-over capability for up to a four-node system. MSCS multi-node fail-over is slightly more complex, but is encompassed within the prior art that is described more fully below.

[0005] Some known failover policies do exist that address failover in multiple node systems. One method, commonly referred to as cascading, establishes a circular list for all nodes in the cluster. For example, if there are four nodes (nodes 1-4) in the cluster, failure of node 1 will cause all applications running on node 1 to failover to node 2, failure of node 2 will cause all applications running on node 2 to failover to node 3, failure of node 3 will cause all applications running on node 3 to failover to node 4, and failure of node 4 will cause all applications running on node 4 to failover to node 1. The cascading failover policy can be represented graphically by the following illustration, where the direction of the arrow points to the node that will assume responsibility for all applications running on the failed node.



[0006] In the above failover policy, each node in the cluster may failover only to one single node that has been designated prior to the time of failure. Further, all applications running on any failed node must failover to the same designated surviving node.

[0007] Another known failover policy enables applications running on any given node to failover to any remaining node in the cluster, as is depicted by the following graph.




[0008] Although the applications of a failed node may theoretically failover to any surviving node, a single failover path must be chosen by a system administrator

or the like when the cluster is established or at another time well in advance of the time of failure. Thus, although the possibility exists to select any node for failover purposes, the selection must take place in advance, and there is no way to dynamically assess the best suited node at the time the failure occurs.

[0009] Disadvantages of the above-described failover policies are many.

First, for any given node, a failover node must be designated in advance. The obvious disadvantages of this are that either failover nodes are designated with complete disregard to the resources needed by the failed node and those available at the failover node (as in the cascading failover policy), or must be determined in a manner that cannot take into account changes in system resources that have occurred since the failover designations were made. For example, additional applications may be added to nodes, or user demands for any given application may increase over time, or even at any given time over the course of any given day. Further, in each of the failover policies described above all applications running on a failed node failover to another single node. This may impact the high availability of the system if the resources of a failover node at the particular time needed are such that it cannot handle all applications, but could otherwise provide failover for certain ones of those applications.

[0010] Another known failover policy utilizes a separate "passive" node that is present in the cluster exclusively for the purpose of being the failover node for all active nodes in the cluster. As illustrated in the following graph, each node on the cluster that is actively running applications (nodes 1-3) fails over to node 4, which is not tasked with running any applications other than in the event of a failover.



The disadvantages described above also are present in this failover policy. A further disadvantage is that this failover policy designates only a single failover node for each node running applications in the cluster, and requires the presence of an otherwise idle node, which is an inefficient use of system resources.

[0011] It is apparent from the above discussion of known failover policies in a cluster environment that there presently is no known way to dynamically choose among several possible failover nodes at the time failure actually occurs. Thus, none of these known policies enable the system to select a failover node that necessarily will have adequate, or the most available, resources at the time the failure occurs. Further, there is no known method by which the applications running on a failed node may be allocated to different ones of surviving nodes. A failover policy having one or more of the above features would be advantageous in that it would enable optimization in failover designations. Evaluation at the time of failure of the resources available on each surviving node, and directing failover to nodes that are most capable of handling one or more of the applications of the failed node, would enable more efficient use of cluster resources, and improve high availability of the cluster.

SUMMARY

[0012] Therefore, a need has arisen for failover policies for a cluster environment having more than two nodes in which the applications running on a failed node may be dynamically allocated to one of a several possible surviving nodes. Further, a need has arisen for such a failover policy wherein applications running on the failed node may failover to more than one of the several possible surviving nodes.

[0013] In accordance with the present disclosure, a failover method is provided for a computer system having at least three nodes operating as a cluster. The method includes the steps of, following failure of one of the nodes, determining the weight of at least two surviving nodes, determining which of the at least two surviving nodes has the lowest weight, and assigning applications running on the failed node to the surviving node having the lowest determined weight. According to one embodiment, in the weight determining step, the weight of every one of the surviving nodes is determined, and according to yet another embodiment, the weight is determined by evaluating available resources of the node. In yet another embodiment, the evaluating step further includes the steps of examining at least one performance indicator associated with the node, and using a predetermined method to determine from the at least one performance indicator the weight of the node. According to alternate embodiments, the performance indicator is an indicator of current CPU utilization of that node, an indicator of memory currently being used by that node, or both.

[0014] A failover method is also provided for a computer system having at least three nodes operating as a cluster, wherein the method includes the steps of determining the amount of resources needed by applications running on one of the nodes, and following failure of the one node, for each of surviving nodes $n=1$ to N until a failover node is assigned, determining the weight of surviving node n , determining from the weight of surviving node n whether surviving node n has available resources greater than that determined to be needed by the failed node, and if the surviving node n is determined to have sufficient available resources, then assigning node n as the failover node and failing over the applications running on the

failed node to the failover node, or if the surviving node n is determined not to have sufficient available resources, then $n=n+1$. In one embodiment, the determining resources step further includes the step of determining the resources needed by each application running on the one node, and the method further includes the step of prioritizing the applications running on the node, and assigning a failover node for each prioritized application successively starting with the application having the highest priority.

[0015] Also provided is a failover method for a computer system having at least three nodes operating as a cluster, wherein the method includes the steps of determining the weight of each of the at least three nodes, ordering the at least three nodes according to their respective increasing weights from lowest to highest, creating a queue containing the ordered nodes, wherein the first node in the queue has the lowest weight, and following failure of one of the at least three nodes, assigning the first surviving node in the queue as a failover node, and failing over applications running on the failed node to the failover node.

[0016] Yet another failover method is disclosed for a computer system having at least three nodes operating as a cluster, wherein the method includes the steps of, following failure of one of the at least three nodes, determining the order in which surviving nodes joined the cluster, assigning a failover node according to the order in which the surviving nodes joined the cluster, and failing over all applications running on the failed node to the failover node. According to one embodiment, the failover method further includes the steps of determining the first surviving node to join the cluster, and assigning the first joined surviving node as the failover node. According to an alternate embodiment, the failover method further includes the steps of determining the last surviving node to join the cluster, and assigning the last joined surviving node as the failover node.

[0017] A failover method is also provided for a computer system having at least three nodes operating as a cluster, wherein the method includes the steps of detecting failure of one of the at least three nodes, determining a time of failure of the one node, assigning a failover node depending in part on the determined time, and assigning applications running on the failed node to the failover node. According to

one embodiment, the method further includes the steps of, for at least one node in the cluster, determining a time period during which the node is heavily utilized, and preventing the at least one node from being assigned as a failover node during the determined time period. According to yet another embodiment, the method further includes the steps of, for at least the failed node, determining in advance of failure a time during which at least one application running on the failed node is heavily utilized, and following failure of the node, if failure occurs during the determined time during which the at least one application is heavily utilized, then assigning a failover node for the at least one application first.

[0018] Also provided is a cluster computer system including at least three nodes, wherein the at least three nodes are computer systems operating as a cluster. The cluster computer system is capable of implementing a failover policy in which, following failure of one of the at least three nodes, the weight of surviving possible failover nodes is determined, and a failover node is selected based on the determined weights. According to one embodiment, the cluster computer system is further capable of determining the weights by examining performance indicators of the surviving possible failover nodes. According to yet another embodiment, the weight of the node is determined by using a predetermined mathematical formula including values of the performance indicators, and the performance indicators include at least an indicator of current CPU utilization of that node and an indicator of the amount of memory currently being used by that node.

[0019] A cluster computer system is also provided having at least three nodes, wherein the at least three nodes are computer systems operating as a cluster. The cluster computer system is capable of determining a time of failover of one of the at least three nodes, and implementing a failover policy in which, following failover of the one node, a failover node is selected based in part on the determined time. According to one embodiment, the cluster computer system is further capable of determining a time period during which at least one of the nodes is heavily utilized, and preventing the at least one node from being assigned as a failover node during the determined time period. According to yet another embodiment, the cluster is further capable of determining a time during which at least one application on the one failed

node is heavily utilized, and upon failure of the one node, if failure occurs during the determined time, then failing over the at least one application first.

1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2244
2245
2246
2247
2248
2249
2250
2251
2252
2253
2254
2255
2256
2257
2258
2259
2260
2261
2262
2263
2264
2265
2266
2267
2268
2269
2270
2271
2272
2273
2274
2275
2276
2277
2278
2279
2280
2281
2282
2283
2284
2285
2286
2287
2288
2289
2290
2291
2292
2293
2294
2295
2296
2297
2298
2299
2300
2301
2302
2303
2304
2305
2306
2307
2308
2309
2310
2311
2312
2313
2314
2315
2316
2317
2318
2319
2320
2321
2322
2323
2324
2325
2326
2327
2328
2329
2330
2331
2332
2333
2334
2335
2336
2337
2338
2339
2340
2341
2342
2343
2344
2345
2346
2347
2348
2349
2350
2351
2352
2353
2354
2355
2356
2357
2358
2359
2360
2361
2362
2363
2364
2365
2366
2367
2368
2369
2370
2371
2372
2373
2374
2375
2376
2377
2378
2379
2380
2381
2382
2383
2384
2385
2386
2387
2388
2389
2390
2391
2392
2393
2394
2395
2396
2397
2398
2399
2400
2401
2402
2403
2404
2405
2406
2407
2408
2409
2410
2411
2412
2413
2414
2415
2416
2417
2418
2419
2420
2421
2422
2423
2424
2425
2426
2427
2428
2429
2430
2431
2432
2433
2434
2435
2436
2437
2438
2439
2440
2441
2442
2443
2444
2445
2446
2447
2448
2449
2450
2451
2452
2453
2454
2455
2456
2457
2458
2459
2460
2461
2462
2463
2464
2465
2466
2467
2468
2469
2470
2471
2472
2473
2474
2475
2476
2477
2478
2479
2480
2481
2482
2483
2484
2485
2486
2487
2488
2489
2490
2491
2492
2493
2494
2495
2496
2497
2498
2499
2500
2501
2502
2503
2504
2505
2506
2507
2508
2509
2510
2511
2512
2513
2514
2515
2516
2517
2518
2519
2520
2521
2522
2523
2524
2525
2526
2527
2528
2529
2530
2531
2532
2533
2534
2535
2536
2537
2538
2539
2540
2541
2542
2543
2544
2545
2546
2547
2548
2549
2550
2551
2552
2553
2554
2555
2556
2557
2558
2559
2560
2561
2562
2563
2564
2565
2566
2567
2568
2569
2570
2571
2572
2573
2574
2575
2576
2577
2578
2579
2580
2581
2582
2583
2584
2585
2586
2587
2588
2589
2590
2591
2592
2593
2594
2595
2596
2597
2598
2599
2600
2601
2602
2603
2604
2605
2606
2607
2608
2609
2610
2611
2612
2613
2614
2615
2616
2617
2618
2619
2620
2621
2622
2623
2624
2625
2626
2627
2628
2629
2630
2631
2632
2633
2634
2635
2636
2637
2638
2639
2640
2641
2642
2643
2644
2645
2646
2647
2648
2649
2650
2651
2652
2653
2654
2655
2656
2657
2658
2659
2660
2661
2662
2663
2664
2665
2666
2667
2668
2669
2670
2671
2672
2673
2674
2675
2676
2677
2678
2679
2680
2681
2682
2683
2684
2685
2686
2687
2688
2689
2690
2691
2692
2693
2694
2695
2696
2697
2698
2699
2700
2701
2702
2703
2704
2705
2706
2707
2708
2709
2710
2711
2712
2713
2714
2715
2716
2717
2718
2719
2720
2721
2722
2723
2724
2725
2726
2727
2728
2729
2730
2731
2732
2733
2734
2735
2736
2737
2738
2739
2740
2741
2742
2743
2744
2745
2746
2747
2748
2749
2750
2751
2752
2753
2754
2755
2756
2757
2758
2759
2760
2761
2762
2763
2764
2765
2766
2767
2768
2769
2770
2771
2772
2773
2774
2775
2776
2777
2778
2779
2780
2781
2782
2783
2784
2785
2786
2787
2788
2789
2790
2791
2792
2793
2794
2795
2796
2797
2798
2799
2800
2801
2802
2803
2804
2805
2806
2807
2808
2809
2810
2811
2812
2813
2814
2815
2816
2817
2818
2819
2820
2821
2822
2823
2824
2825
2826
2827
2828
2829
2830
2831
2832
2833
2834
2835
2836
2837
2838
2839
2840
2841
2842
2843
2844
2845
2846
2847
2848
2849
2850
2851
2852
2853
2854
2855
2856
2857
2858
2859
2860
2861
2862
2863
2864
2865
2866
2867
2868
2869
2870
2871
2872
2873
2874
2875
2876
2877
2878
2879
2880
2881
2882
2883
2884
2885
2886
2887
2888
2889
2890
2891
2892
2893
2894
2895
2896
2897
2898
2899
2900
2901
2902
2903
2904
2905
2906
2907
2908
2909
2910
2911
2912
2913
2914
2915
2916
2917
2918
2919
2920
2921
2922
2923
2924
2925
2926
2927
2928
2929
2930
2931
2932
2933
2934
2935
2936
2937
2938
2939
2940
2941
2942
2943
2944
2945
2946
2947
2948
2949
2950
2951
2952
2953
2954
2955
2956
2957
2958
2959
2960
2961
2962
2963
2964
2965
2966
2967
2968
2969
2970
2971
2972
2973
2974
2975
2976
2977
2978
2979
2980
2981
2982
2983
2984
2985
2986
2987
2988
2989
2990
2991
2992
2993
2994
2995
2996
2997
2998
2999
3000
3001
3002
3003
3004
3005
3006
3007
3008
3009
3010
3011
3012
3013
3014
3015
3016
3017
3018
3019
3020
3021
3022
3023
3024
3025
3026
3027
302

BRIEF DESCRIPTION OF THE DRAWINGS

[0020] A more complete understanding of the present invention and advantages thereof may be acquired by referring to the following description taken in conjunction with the accompanying drawings, in which like reference numbers indicate like features, and wherein:

[0021] FIGURE 1 illustrates generally computer systems operating in a cluster environment;

[0022] FIGURE 2a graphically illustrates a first failover policy according to the present disclosure;

[0023] FIGURE 2b is a flow chart illustrating a first failover policy according to the present disclosure;

[0024] FIGURE 3 graphically illustrates another failover policy according to the present disclosure;

[0025] FIGURE 4a is a flow chart illustrating yet another failover policy according to the present disclosure;

[0026] FIGURE 4b is a flow chart illustrating yet another failover policy according to the present disclosure;

[0027] FIGURE 5 is a flow chart illustrating another failover policy according to the present disclosure;

[0028] FIGURE 6a is a flow chart illustrating yet another failover policy according to the present disclosure;

[0029] FIGURE 6b is a flow chart illustrating another failover policy according to the present disclosure;

[0030] FIGURE 7 is a flow chart illustrating yet another failover policy according to the present disclosure; and

[0031] FIGURE 8 is a flow chart illustrating yet another failover policy according to the present disclosure.

DETAILED DESCRIPTION

[0032] Preferred embodiments of the present invention are illustrated in the Figures, like numeral being used to refer to like and corresponding parts of the various drawings.

[0033] The present disclosure introduces many possible failover policies that may be implemented in a cluster environment having more than two nodes to better utilize available resources of surviving nodes, and thereby, to provide improved high system availability of the cluster. It further introduces the ability to assess system resources at the time a node failure occurs, and also the ability to implement different failover policies for different nodes, or different applications on a node, within the same cluster environment.

[0034] Figure 1 illustrates a representative architecture for multiple systems operating as a cluster in which the failover policies described below may be implemented. Servers A (102), B (104) and C (106) operate simultaneously, are interconnected, and each are capable of accessing a centralized storage system 108 via any suitable interface such as a fiber channel interface. Each of servers A, B and C are separate nodes that together form the cluster 110. The processing power of each server in the cluster is accessible by multiple user terminals 112 that may be interconnected by a local area network (LAN), a wide area network (WAN) or any other suitable means. It is to be understood that Figure 1 represents only one simplified illustration of a cluster. Nodes 102, 104 and 106 have been described as servers, but nodes in a cluster may also be individual personal computers, workstations, or larger entities such as mainframes.

[0035] Figures 2a and 2b illustrate a first failover policy according to the present disclosure in a cluster environment having N nodes, where N is greater than two. As shown in Figure 2a, cluster 200 includes four nodes, node 1 (201), node 2 (202), node 3 (203) and node 4 (204). As illustrated by the bi-directional arrows, each node is capable of failing over to either the successive node or the previous node. In other words, each node n, may fail over to node n+1 or node n-1, where node n+1 for the last node (node 4) refers to node 1, and where node n-1 for the first node (node 1) refers to the last node (node 4). Whether node n will failover to node n+1 or node n-1

will be determined by assessing the available resources of both possible failover nodes at the time of failure of node n, as is described more fully below.

[0036] The available resources of a node generally refers to the extent to which that node is capable of running additional applications. According to the present disclosure, one method for determining the available resources is to assess the "weight" of each possible failover node by examining its system performance indicators. Most operating systems have performance monitors or indicators that track the usage of system entities, such as memory, disk, network, and processor, amongst others. For example, using these indicators one can collect and view real-time data about memory, or generate logs to accommodate trouble-shooting or subsequent recovery in case of a problem (such as in the event of a memory leak). Alerts can be set to notify an administrator if a performance indicator reaches or surpasses a user-settable threshold. The performance data for a system is available to an application using an Application Programming Interface (API). Using the APIs, an application can observe and track its use of system entities and perform operations based on the value of the performance counters during its operation. These performance indicators can be accessed and used to assess possible failover nodes. For example, in a cluster, should the memory usage of applications running on a node be above 75% of that node's physical memory, it can be designated as not a suitable failover site for a failed node. A node that is showing only 25% memory usage, however, can be designated as a suitable failover site. The "weight" of a node may be determined by creating a mathematical expression based on evaluation of any number of selected performance indicators. For example, if CPU utilization and memory usage are selected performance indicators, and CPU utilization is considered more important, one could assign a weight of 0.9 to CPU utilization and 0.6 to memory usage. The overall weight of the node would be $(0.9) * (\text{value of the CPU utilization performance indicator}) + (0.6) * (\text{value of the memory usage performance indicator})$. The node having the lowest weight represents the node having the most available resources. In this manner, the possible failover node having the lowest weight is selected as the desired failover node.

[0037] Thus, as shown in Figure 2b, it is first determined in step 250 that node n has failed. This can be done using "heartbeat" monitoring techniques that are well known in the art. Heartbeating is commonly achieved by exchanging messages over the network (such as TCP/IP messages) with the other members of a cluster. Other techniques include heartbeating over the serial line, over the storage interconnect, or over a private network.

[0038] After failure of node n is detected, at step 251 the weight of nodes n+1 and n-1 are determined using one or more predetermined performance indicators and a predefined equation as described above. Once the weight of each node is ascertained, a determination is then made at step 252 as to whether node n+1 or node n-1 has the lowest weight. If node n+1 has the lowest weight, that node is established as the failover node (step 253), but if node n-1 has the lowest weight, node n-1 is established as the failover node (step 254). Thus, a more intelligent failover node can be chosen, thereby improving the high availability of the cluster system.

[0039] Another possible failover policy according to the present disclosure can be implemented in cluster environments having an even number of nodes. As shown in Figure 3, cluster 301 includes four nodes 301, 302, 303, 304 which are arranged as two pairs of two nodes. Thus, for each pair in the cluster, failure of one node will failover to the other node in the pair.

[0040] Yet another failover policy can be implemented in a cluster environment in which any single node may failover to any surviving node. Any type of hash function that randomly selects a failover node from the available nodes can be used in this type of system.

[0041] Other failover policies according to the present disclosure include First-in-First-out (FIFO) or Last-in-First-out (LIFO) policies, wherein a failover node is designated according to the order in which nodes joined the cluster. For example, according to a FIFO policy, if the order of joining the cluster is node 1, node 2, node 3, then node 4, then the first node to join the cluster (node 1) will be the failover node for all nodes. If node 1 itself is down (or is the one to fail first), then the next surviving node that was the first to join the cluster will become the failover node. In a

LIFO failover policy, the designated failover node is the last one to join the cluster. In the above example, this is node 4, and if node 4 has failed it would become node 3, etc. The FIFO and LIFO policies are illustrated in Figures 4a and 4b respectively. First, the failure of node n is detected (steps 401a, 401b). Subsequently, in the FIFO policy, the first surviving node to join the cluster is determined at step 402a, whereas in the LIFO policy the last surviving node to join the cluster is determined at step 402b. In both cases it is then determined whether that node has failed, or is still operational (step 403a, 403b). If that node has not failed, applications running on the failed node failover to that node (step 405a, 405b). If it has failed, the next node (FIFO) or next to last node (LIFO) to have joined the cluster is determined (steps 404a, 404b), and so on until a surviving node is found to failover to.

[0042] Yet another failover policy according to the present disclosure involves maintaining a prioritized queue of failover nodes. The prioritized queue is created by determining the weight of each node in the cluster (Figure 5, step 501), and then sorting the nodes based on their weights (step 502) and creating a queue consisting of these sorted nodes starting with the node having the least weight at the head of the queue step in step 503. The list may be dynamically re-created at predetermined time intervals to ensure that the prioritization remains current (step 504). When a node in the cluster fails (step 505), the failover node is selected by assigning the applications running on the failed node to the first surviving node in the queue at step 506.

[0043] Other failover policies that can be established according to the present disclosure are Best Fit or First Fit policies, which are illustrated by Figures 6a and 6b respectively. In a Best Fit policy, once failure of a node has been determined (step 601a), the weight of all surviving nodes is assessed at the time (step 602a), and the one having the least weight is selected (step 603a) and assigned as the failover node (step 604a). In a First Fit policy, the resources needed by the applications running on the failed node is determined in advance (step 601b). Although this may be done at the time a cluster is set up, or at the time a node is added to the cluster, it may also be done dynamically at predetermined time intervals. Subsequently, when a node is determined to have failed (step 602b), for each node $n=1$ to N , the weight of node n is first determined (step 603b). It is then determined whether the weight is sufficiently

low to indicate that the node has sufficient available resources to satisfy the resources needed by the failed node (step 604b), as was determined at step 601a. If so, then that node is assigned as the failover node (step 605b). If not, then next node is examined, and so on until a suitable failover node is found.

[0044] Another failover policy that can be implemented involves determining in advance which node should serve as a failover node for which other nodes. This selection can be made based on the knowledge of what applications are designated to run on which nodes, and what resources each application requires. For example, a system administrator may set up the cluster such that node 1 and node 4 are file servers, and that both should be designated to failover to node 2. The system administrator may also designate more than one possible failover node, with the choice being made at the time of failure by assessing the weights of the designated nodes.

[0045] Yet another possible failover policy for multiple nodes in a cluster involves placing the nodes into subgroups, where a failed node is designated to failover to another node within the same subgroup. For example, if there are eight nodes in the cluster, the eight nodes may be broken down into two groups of four nodes each, or three groups of two nodes each. Each node within the group may be designated to failover to a single node within that group only, or to any other node within that group with the designation being made based on the weight of the other nodes within the group at the time of failure as described above.

[0046] Yet another failover policy according to the present disclosure assigns failover sites for different applications running on the failed node based on priority. Under this scheme, a priority value is assigned in advance to at least selected applications running on the node (see step 701 in Figure 7). At the time failure is determined (step 702), the application having the highest priority is determined, and failed over first, followed by the one having the second highest priority, and so on (step 703). Applications without a priority value, if any, can be assigned afterwards. This failover policy helps to ensure that those applications that are most important continue to function in the event of a failure, since any limitations on system resources of the failed node will effect these applications last. This scheme can be

combined with any other failover policy described in this disclosure to determine which node each application should fail over to.

[0047] Finally, a time-based failover scheme can be implemented in any cluster environment. In a time-based scheme, the failover node to which an application is transferred may depend on the time of day the failure occurs. For example, if a system administrator recognizes that a specific node that services email applications is heavily used in the first hours of the business day, applications on a failed node that occur during those hours would not be failed over to that specific node. This helps to minimize further system interruptions or failures, and helps to ensure that the significant uses of a given system at any given time are not interrupted. Further, should the node that services email applications fail during these critical hours, these applications should failover to another node immediately, and other less important applications running on the failover node can be temporarily suspended.

[0048] A time-based failover policy is illustrated generally in Figure 8. At step 801, prior to the time of failure, the time(s) of day during which one or more nodes in the cluster are most heavily used is determined. According to one embodiment, it may also be determined at this time whether particular applications on the node are most heavily used during particular time(s) of the day (step 802). At step 803, failure of a node is determined, and at step 804 the time of failure is determined. Subsequently, possible surviving failover nodes are examined, and those that are designated as being heavily used during that particular time are removed as possible failover nodes, as shown in steps 805 and 806. When a possible failover node is found that is not excluded, it is assigned as the failover node (step 807). This may be done in several different ways, and in conjunction with implementing different ones of the failover policies described above. For example, possible failover nodes may be examined according to the best fit failover policy, but before applications are actually failed over an additional step is performed to see if the selected failover node is disqualified during that particular time of day. Alternatively, all excluded failover nodes may be determined first, implementing a best fit policy among the remaining nodes. Further, as described above, if it is also determined what time of day particular applications on a node are heavily used, at the time failure occurs the failed node may

also be examined to determine if applications running on it are designated as heavily used during that time period. If so, that application(s) may be failed over first. Accordingly, by considering the time(s) of day during which nodes and/or applications running on nodes are heavily utilized, failover policies can be made more effective, improving the overall high availability of the system.

[0049] Many of the above failover policies have been described as having all applications running on a failed node failover to a single surviving node. Often times, however, it will be desirable to have different applications failover to different nodes. For example, it may be desirable to have a critical application running on a failed node failover to a surviving node having the most available resources (lowest weight), and other applications running on that node failover to a designated single node. Such a scheme may help to ensure that the most important application(s) running on a node are failed over in a manner that is most likely to ensure minimal interruption. Any one of the above failover policies may be implemented for any application running on a node. A system administrator would determine which failover policy to use for which application at the time the system is established, or at the time the node is added to the cluster.

[0050] Although the present invention has been described in detail, it should be understood that various changes, substitutions and alterations can be made hereto without departing from the spirit and scope of the invention as defined by the appended claims.